

**GRIGIO ANTRACITE
E VARIANTI**

Colori disponibili:

- AN** = grigio antracite
- AO** = antracite-oro
- AA** = antracite-argento
- AR** = antracite-rame
- AB** = antracite-bronzo
- AV** = antracite-verde

Per NERO GOFFRATO e BIANCO GOFFRATO vedere le condizioni riportate nel listino prezzi.

Corpo: alluminio pressofuso

Cappelli disponibili (da specificare):

- A** = cappello alluminio
- R** = cappello rame anticato scuro
(su richiesta, cappello rame satinato chiaro)
- X** = cappello acciaio satinato

Diffusore: policarbonato

- DT** = policarbonato trasparente tondo (standard)
- DO** = policarbonato opale tondo (su richiesta)
- DG** = polic. trasparente "con goccia" (su richiesta)

**ANTRACITE GREY
AND VARIANTS**

Colours available:

- AN** = anthracite grey
- AO** = anthracite grey-gold
- AA** = anthracite grey-silver
- AR** = anthracite grey-copper
- AB** = anthracite grey-bronze
- AV** = anthracite grey-green

For BLACK MATT and WHITE MATT refer to conditions on the pricing list.

Body: die cast aluminium

Hats available (to specify):

- A** = aluminium hat
- R** = dark brunished copper hat
(on request, clear copper hat)
- X** = satin stainless steel hat


Diffuser: polycarbonate

- DT** = transparent round polycarbonate (standard)
- DO** = opal round polycarbonate (on request)
- DG** = transp. polycarbonate "with drop" (on request)



Viteria esterna in acciaio inox.
Tasselli di fissaggio inclusi
(lampadina non inclusa).
Specifiche bracci e pali a pag. 294-297.
Accessori a pag. 298-300.

External screws: stainless steel.
Anchorage screws included
(bulbs not included).
Arms and poles details on page 294-297.
Accessories on page 298-300.



Art. **1921R** grigio antracite (AN) - DT



Art. **1921X** grigio antracite (AN) - DG

Dione antracite



Art. **1923X** antracite argento (AA) - DT



Art. **1925A/1L** grigio antracite (AN) - DT

Art. **1922A** grigio antracite (AN) - DT



Art. **1922R** grigio antracite (AN) - DT

Dione antracite



Art. **1926X/2L**
grigio antracite (AN) - DT - braccio B3 - palo P28
h 2330 mm - ø 820 mm

Art. **1932R/2L**
grigio antracite (AN) - DT - braccio B3 - palo P32
h 2700 mm - ø 820 mm



Art. **1927R/3L** grigio antracite (AN) - DT